

FIG. 1

TRANSDERMAL DELIVERY SYSTEM

OF EXAMPLE 1

IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN

RECEPTOR: ETHANOL/WATER (40/60)




FIG. 1

TECHNICAL SUMMARY

TRANSDERMAL DELIVERY SYSTEM
OF EXAMPLE 1
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
RECEPTOR: ETHANOL/WATER (40/60)




FIG. 2

TRANSDERMAL DELIVERY SYSTEM
OF EXAMPLES 2 AND 4
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
RECEPTOR: ETHANOL/WATER (40/60)




FIG. 3

TRANSDERMAL DELIVERY SYSTEM
OF EXAMPLES 2 AND 4
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
RECEPTOR: ETHANOL/WATER (40/60)




FIG. 4

TRANSDERMAL DELIVERY SYSTEM
OF EXAMPLES 3 AND 5
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
RECEPTOR: ETHANOL/WATER (40/60)




FIG. 5

TRANSDERMAL DELIVERY SYSTEM
OF EXAMPLES 3 AND 5
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
RECEPTOR: ETHANOL/WATER (40/60)




FIG. 6

TRANSDERMAL DELIVERY SYSTEM
OF EXAMPLE 6
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
RECEPTOR: ETHANOL/WATER (40/60)




FIG. 7

TRANSDERMAL DELIVERY SYSTEM
OF EXAMPLE 6
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
RECEPTOR: ETHANOL/WATER (40/40)




FIG. 8

TRANSDERMAL DELIVERY SYSTEM
OF EXAMPLES 7, 8, AND 9
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
RECEPTOR: ETHANOL/WATER (40/60)




FIG. 9

TRANSDERMAL DELIVERY SYSTEM
OF EXAMPLES 7, 8 AND 9
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
RECEPTOR: ETHANOL/WATER (40/60)




FIG. 10

TRANSDERMAL DELIVERY SYSTEM

IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
RECEPTOR: ETHANOL/WATER (40/60)




Figure 11

TRANSDERMAL DELIVERY SYSTEM
FORMULATIONS
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
RECEPTOR: ETHANOL/WATER (40/60)




Figure 12

TRANSDERMAL DELIVERY SYSTEM
FORMULATION
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
RECEPTOR: ETHANOL/WATER (40/60)




Figure 13

TABLE 565403

TRANSDERMAL DELIVERY SYSTEM
FORMULATION
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
RECEPTOR: ETHANOL/WATER (40/60)




Figure 14

TRANSDERMAL DELIVERY SYSTEM
OF EXAMPLE 13
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
RECEPTOR: ETHANOL/WATER (40/60)




FIG. 15

TRANSDERMAL DELIVERY SYSTEM
OF EXAMPLE 13
IN VITRO PERMEATION THROUGH HUMAN CADAVER SKIN
RECEPTOR: ETHANOL/WATER (40/60)




FIG. 16